

*RELEASE NOTES**VERSION 2.02**09/12/2021*

*Nuevas Funcionalidades:**Mejoras:**Correcciones:*

- Correccion de MPX power Control ITU

Notas:

- NO sobrescribe Configuración ni Presets de Usuario , sobrescribe Preset de Fabrica
 - ES es compatibles con presets de versión 1.2 y 1.3
 - Importante! Realizar Update por LAN (evitar realizarlo via Wifi e Internet)
-

Solidyne SRL

3 de Febrero 3254 (CP 1429) Bs As, Argentina
Tel: +54 11 4702 0090 Fax: +54 11 4702-2375
e-mail: info@solidynepro.com www.SolidynePRO.com

RELEASE NOTES**VERSION 2.02**

09/12/2021

New Features:***Improvements:******BugFixes:***

- Bugfix in ITU MPX Power control

Notes:

- will not overwrite configuration neither User Presets – overwrite Factory Presets
 - compatible with Presets ver1.2 & 1.3
 - Important! Perform Update by LAN (avoid doing it via Wifi and Internet)
-

Solidyne SRL

3 de Febrero 3254 (CP 1429) Bs As, Argentina
Tel: +54 11 4702 0090 Fax: +54 11 4702-2375
e-mail: info@solidynepro.com www.SolidynePRO.com

HISTORY NOTES**VERSION 2.01**06/08/2021

Nuevas Funcionalidades:***Mejoras:***

- Re calibración de control de modulación Piloto y RDS
- Mejora de respuesta en Medidor de Modulación FM Web
- Control de Cache Web
- Detalles de interfaz web
- Nuevos Presets de Fabrica

Correcciones:

- Corrimiento de 0.1Mhz en FM Scan
- Indicadores Clippers Multibanda
- RDS mostraba texto default sin señal RDS
- Correccion de Plop al conmutar Voice Symmetryzer

Notas:

- NO sobrescribe Configuración ni Presets de Usuario , sobrescribe Preset de Fabrica
 - ES es compatibles con presets de versión 1.2 y 1.3
 - Importante! Realizar Update por LAN (evitar realizarlo via Wifi e Internet)
-

Solidyne SRL

3 de Febrero 3254 (CP 1429) Bs As, Argentina
Tel: +54 11 4702 0090 Fax: +54 11 4702-2375
e-mail: info@solidynepro.com www.SolidynePRO.com

HISTORY NOTES**VERSION 2.01**

06/08/2021

New Features:***Improvements:***

- PILOT & RDS Modulation Control recalibration
- Improve Web FM Modulation Monitor
- Web Cache Control
- Web GUI details fixed
- New Factory Presets

Bug Fixes:

- FM SCAN drift 0.1Mhz
- Multiband Clippers Indicators (Web Setup)
- RDS showed default text without RDS reception
- Fixed Plop on Voice Symmetryzer ON/OFF

Notes:

- will not overwrite configuration neither User Presets – overwrite Factory Presets
 - compatible with Presets ver1.2 & 1.3
 - Important! Perform Update by LAN (avoid doing it via Wifi and Internet)
-

Solidyne SRL

3 de Febrero 3254 (CP 1429) Bs As, Argentina
Tel: +54 11 4702 0090 Fax: +54 11 4702-2375
e-mail: info@solidynepro.com www.SolidynePRO.com

HISTORY NOTES**VERSION 2.00**29/03/2021

Nuevas Funcionalidades:

- Etapa de Compresores Multibanda con pendiente regulable
- Medidor de Sonoridad (Loudness) en interfaz WEB basado en ITU R-128
- Ajuste de Preset simplificado: controles SOUND WIZARD
- Configuración básica de RDS desde interfaz Web
- Sistema de detección de updates automático (incorporado en interfaz web)
- Analizador/Receptor de FM: RT+Decoder, Medición de Relación Señal/Ruido y Dial Scan
- Bloqueo con password de cambios desde panel frontal

Mejoras:

- Reorganización de interfaz web
- Pantalla Home con vistas ajustables
- Nueva pantalla “Process” en display de Panel Frontal (solo unidades de display largo)
- Extensión de frecuencias en Filtro pasa altos de entrada
- Nuevos Presets de Fabrica
- Servicio de Alarmas por email: envíos limitados cada 12 hs para no saturar el sistema

Correcciones:**Solidyne SRL**

3 de Febrero 3254 (CP 1429) Bs As, Argentina
Tel: +54 11 4702 0090 Fax: +54 11 4702-2375
e-mail: info@solidynepro.com www.SolidynePRO.com

HISTORY NOTES

New Features:

- Multiband Compressor Stage with adjustable ratio.
- Loudness Meter in WEB interface based on ITU R-128
- Simplified Preset changes: SOUND WIZARD controls
- Basic RDS configuration from Web interface
- Automatic update detection system (incorporated in web interface)
- FM Rx/Analyzer :RT+ decoder, Receiver: Signal / Noise Ratio Measurement and Dial Scan
- Front Panel Lock with password

Improvements:

- Web interface reorganization
- Home screen with adjustable views
- New “Process” screen in Front Panel display (only long display units)
- Frequency extension in input high pass filter
- New Factory Presets
- Alarm service by email: limited dispatch every 12 hours to avoid saturating the system

BugFixes:

Solidyne SRL

3 de Febrero 3254 (CP 1429) Bs As, Argentina
Tel: +54 11 4702 0090 Fax: +54 11 4702-2375
e-mail: info@solidynepro.com www.SolidynePRO.com